Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S3	225	HARQ and UMTS	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 12:38
S4	1	HARQ and (acknowlegd$5 or ACK) and (NACK) and (buffer) and (restart$3 with transmission)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 13:15
S5	1	HARQ and (acknowlegd$5 or ACK) and (NACK) and (restart$3 with transmission)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 12:52
S6	5	(HARQ or ARQ) and restart near command	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 13:48
S7	214	(HARQ or ARQ) and restart	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 13:06
S12	35	(ARQ or HARQ) and resend$3 with blocks	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 13:58
S15	27	(ARQ or HARQ) and redundant near2 block	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 14:32
S21	20	(HARQ or ARQ) and retransmi$5 near2 command	USPAT	OR	ON	2005/10/19 16:24
S40	32	(HARQ or ARQ) and retransmi$5 near2 command	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 16:24

S42	26	370/229.ccls. and (HARQ or ARQ)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 16:25
S43	33	370/230.ccls. and (HARQ or ARQ)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 16:27
S44	42	370/235.ccls. and (HARQ or ARQ)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 16:29
S45	7	370/277.ccls. and (HARQ or ARQ)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 16:30
S46	5	370/281.ccls. and (HARQ or ARQ)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 16:31
S47	87	370/328.ccls. and (HARQ or ARQ)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 16:31
S48	97	370/329.ccls. and (HARQ or ARQ)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 16:35
S50	55	370/389.ccls. and (HARQ or ARQ)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 17:44

S51	20	370/437.ccls. and (HARQ or ARQ)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 17:46
S52	6	370/478.ccls. and (HARQ or ARQ)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 17:47
S53	5	370/480.ccls. and (HARQ or ARQ)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 09:01
S54	33	(HARQ or ARQ) with ((error or fault$1) with identif$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 09:13
S55	1	(selective near2 ARQ) with ((error or fault$1) with identif$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 09:13
S56	232	(selective near2 ARQ)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 09:19
S58	156	ARQ and (go adj back adj N or (go-back-N))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 10:35
S59	92	(sequence near number) with (acknowledgement or NACK or ACK) with (error or fault)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 10:37

S60	19	(ARQ or HARQ) and (sequence near number) with (acknowledgement or NACK or ACK) with (error or fault)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 10:45
S62	3	((identification or ID) near number) with (acknowledgement or NACK or ACK) with (error or fault)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 10:47
S63	4	(restart near2 command) with (acknowledgement or NACK or ACK)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 10:54
S64	96	restart near2 transmi$5 near2 (block or packet or frame)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 10:56
S72	25	redundan$3 near2 (block or frame or packet) with (error or fault) same ((ID or identification or sequence) near number)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 11:27
S73	69	redundan$3 near2 (block or frame or packet) with (error or fault) same retransmi$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 12:05